

Baterías de Ion-Litio Baterías y pilas industriales

Baterías tipo prismático

Prismatic type batteries

REFERENCIA	VOLTAJE NOMINAL	NOMINAL CAPACITY	RESISTENCIA INTERNA	GROSOR	ANCHURA	ALTURA	PESO
PART NUMBER	NOMINAL VOLTAGE	NOMINAL CAPACITY	INTERNAL RESISTANCE	THICKNESS	WIDTH	HEIGHT	WEIGHT
LIR033448A	3,7 V	600 mAh	60 mohm	3,8 mm	34,0 mm	47,8 mm	14,3 grs
LIR033450A	3,7 V	600 mAh	60 mohm	3,8 mm	34,0 mm	49,3 mm	14,7 grs
LIR042030A	3,7 V	190 mAh	100 mohm	4,1 mm	19,9 mm	29,8 mm	5,4 grs
LIR043040A	3,7 V	450 mAh	60 mohm	4,3 mm	30,0 mm	40,0 mm	12,0 grs
LIR043048A	3,7 V	650 mAh	50 mohm	4,4 mm	30,0 mm	47,8 mm	15,8 grs
LIR043450A	3,7 V	750 mAh	50 mohm	4,4 mm	34,0 mm	50,0 mm	17,5 grs
LIR043443A	3,7 V	600 mAh	60 mohm	4,3 mm	34,0 mm	43,0 mm	14,7 grs
LIR043448A	3,7 V	600 mAh	60 mohm	4,3 mm	34,0 mm	48,0 mm	15,0 grs
LIR052030A	3,7 V	240 mAh	90 mohm	5,1 mm	20,0 mm	29,9 mm	6,6 grs
LIR053040A	3,7 V	550 mAh	60 mohm	5,2 mm	30,2 mm	40,0 mm	13,6 grs
LIR053043A	3,7 V	650 mAh	50 mohm	5,3 mm	30,0 mm	43,0 mm	16,0 grs
LIR053048A	3,7 V	800 mAh	50 mohm	5,3 mm	30,2 mm	48,0 mm	17,9 grs
LIR053436A	3,7 V	600 mAh	60 mohm	5,1 mm	34,0 mm	35,7 mm	13,6 grs
LIR053445A	3,7 V	820 mAh	50 mohm	5,3 mm	34,0 mm	45,0 mm	19,0 grs
LIR053449A	3,7 V	800 mAh	50 mohm	5,1 mm	33,7 mm	49,0 mm	19,0 grs
LIR053450A	3,7 V	900 mAh	50 mohm	5,2 mm	34,0 mm	49,5 mm	19,8 grs
LIR063048A	3,7 V	900 mAh	50 mohm	6,3 mm	29,8 mm	48,0 mm	19,2 grs
LIR063448A	3,7 V	950 mAh	50 mohm	6,3 mm	34,2 mm	48,0 mm	23,2 grs
LIR063450A	3,7 V	1050 mAh	50 mohm	6,3 mm	34,2 mm	50,0 mm	23,8 grs
LIR063465A	3,7 V	1250 mAh	50 mohm	6,3 mm	34,0 mm	65,0 mm	34,0 grs
LIR064465A	3,7 V	1550 mAh	50 mohm	7,1 mm	44,0 mm	65,0 mm	40,0 grs
LIR072248A	3,7 V	650 mAh	50 mohm	7,3 mm	22,0 mm	46,8 mm	15,3 grs
LIR073048A	3,7 V	950 mAh	50 mohm	7,4 mm	29,8 mm	48,0 mm	23,1 grs
LIR073448A	3,7 V	1100 mAh	50 mohm	7,5 mm	34,0 mm	48,0 mm	27,3 grs
LIR083448A	3,7 V	1200 mAh	50 mohm	8,2 mm	34,0 mm	47,8 mm	28,0 grs
LIR103450A	3,7 V	1800 mAh	50 mohm	10,4 mm	34,0 mm	50,0 mm	41,2 grs
LIR13925A	3,7 V	750 mAh	80 mohm	11,2 mm	39,2 mm	25,0 mm	20,0 grs

Baterías de Ion-Litio Baterías y pilas industriales

Baterías cilíndricas

Cylindrical batteries

REFERENCIA	VOLTAJE NOMINAL	CAPACIDAD NOMINAL	IMPEDANCIA INTERNA	DIÁMETRO	ALTURA	PESO
PART NUMBER	NOMINAL VOLTAGE	NOMINAL CAPACITY	INTERNAL IMPEDANCE	DIAMETER	HEIGHT	WEIGHT
LIR10440	3,7 V	300 mAh	110 mohm	10,0 mm	44,0 mm	12,0 grs
LIR14250	3,7 V	250 mAh	150 mohm	14,1 mm	24,5 mm	10,0 grs
LIR14430	3,7 V	600 mAh	80 mohm	14,1 mm	42,5 mm	17,0 grs
LIR14430	3,7 V	650 mAh	80 mohm	14,1 mm	42,5 mm	17,0 grs
LIR14430	3,7 V	680 mAh	80 mohm	14,1 mm	42,5 mm	18,0 grs
LIR14500	3,7 V	650 mAh	80 mohm	14,1 mm	48,5 mm	20,0 grs
LIR14500	3,7 V	700 mAh	80 mohm	14,1 mm	48,5 mm	20,0 grs
LIR14500	3,7 V	750 mAh	80 mohm	14,1 mm	48,5 mm	20,0 grs
LIR14500	3,7 V	800 mAh	80 mohm	14,1 mm	48,5 mm	20,0 grs
LIR14650	3,7 V	1000 mAh	80 mohm	14,1 mm	64,5 mm	25,0 grs
LIR15266	3,7 V	300 mAh	150 mohm	15,0 mm	26,1 mm	11,0 grs
LIR16340	3,7 V	600 mAh	80 mohm	16,5 mm	33,7 mm	17,0 grs
LIR16500	3,7 V	1000 mAh	80 mohm	16,5 mm	49,8 mm	27,0 grs
LIR17360	3,7 V	750 mAh	80 mohm	16,8 mm	35,5 mm	21,0 grs
LIR17335	3,7 V	600 mAh	80 mohm	16,8 mm	33,0 mm	18,0 grs
LIR17500	3,7 V	1100 mAh	80 mohm	16,8 mm	49,5 mm	29,0 grs
LIR17650	3,7 V	1400 mAh	80 mohm	16,8 mm	64,5 mm	35,0 grs
LIR17670	3,7 V	1400 mAh	80 mohm	16,8 mm	66,8 mm	36,0 grs
LIR18430	3,7 V	1000 mAh	80 mohm	18,2 mm	42,5 mm	23,0 grs
LIR18500	3,7 V	1400 mAh	80 mohm	18,2 mm	48,5 mm	33,0 grs
LIR18630	3,7 V	1900 mAh	80 mohm	18,2 mm	62,5 mm	44,0 grs
LIR18650	3,7 V	1800 mAh	80 mohm	18,2 mm	64,5 mm	45,0 grs
LIR18650	3,7 V	2000 mAh	80 mohm	18,2 mm	64,5 mm	47,0 grs
LIR18650	3,7 V	2100 mAh	80 mohm	18,2 mm	64,5 mm	45,0 grs
LIR18650	3,7 V	2200 mAh	80 mohm	18,2 mm	64,5 mm	49,0 grs

Baterías de botón

Button type batteries

REFERENCIA	VOLTAJE NOMINAL	CAPACIDAD NOMINAL TÍPICA	CAPACIDAD NOMINAL MÍNIMA	CORRIENTE CONTINUA RECOMENDADA	CORRIENTE DE PULSO RECOMENDADA	DIÁMETRO	ALTURA	PESO
PART NUMBER	NOMINAL VOLTAGE	TYPICAL NOMINAL CAPACITY	MINIMUM NOMINAL CAPACITY	RECOMMENDED CONTINUOUS CURRENT	RECOMMENDED PULSE CURRENT	DIAMETER	HEIGHT	WEIGHT
LIR1025	3,6 V	6 mAh	6 mAh	1 CmA	2 CmA	10,0 mm	2,5 mm	1,1 grs
LIR1220	3,6 V	12 mAh	8 mAh	1 CmA	2 CmA	12,5 mm	2,0 mm	1,1 grs
LIR1620	3,6 V	20 mAh	15 mAh	1 CmA	2 CmA	16,0 mm	2,0 mm	1,1 grs
LIR1632	3,6 V	30 mAh	25 mAh	1 CmA	2 CmA	16,0 mm	3,2 mm	1,3 grs
LIR2016	3,6 V	20 mAh	15 mAh	1 CmA	2 CmA	20,0 mm	1,6 mm	1,9 grs
LIR2025	3,6 V	25 mAh	20 mAh	1 CmA	2 CmA	20,0 mm	2,5 mm	2,5 grs
LIR2032	3,6 V	45 mAh	40 mAh	1 CmA	2 CmA	20,0 mm	3,2 mm	3,1 grs
LIR2430	3,6 V	70 mAh	65 mAh	1 CmA	2 CmA	24,0 mm	3,0 mm	4,2 grs
LIR2450	3,6 V	120 mAh	110 mAh	1 CmA	2 CmA	24,0 mm	5,0 mm	5,2 grs
LIR2477	3,6 V	190 mAh	180 mAh	1 CmA	2 CmA	24,0 mm	7,7 mm	7,0 grs
LIR3032	3,6 V	120 mAh	110 mAh	1 CmA	2 CmA	30,0 mm	3,2 mm	6,2 grs
LIR3048	3,6 V	230 mAh	220 mAh	1 CmA	2 CmA	30,0 mm	4,8 mm	12,0 grs

Baterías de Ion-Litio Baterías y pilas industriales

Baterías cilíndricas estándar (a)

Standard cylindrical batteries (a)

	TAMAÑO	REFERENCIA	VOLTAJE NOMINAL	CAPACIDAD NOMINAL	CORRIENTE ESTÁNDAR	DIMENSIONES	PESO
	SIZE	PART NUMBER	NOMINAL VOLTAGE	NOMINAL CAPACITY	STANDARD CURRENT	DIMENSIONS	WEIGHT
AAA	1/4AAA	NH70AAAJF	1,2 V	70 mAh	7 mA	Ø10,1 x 10,9 mm	3,1 grs
	1/3AAA	NH120AAAJF	1,2 V	120 mAh	12 mA	Ø10,1 x 15,0 mm	4,1 grs
	2/5AAA	NH200AAAJF	1,2 V	200 mAh	20 mA	Ø10,1 x 17,4 mm	5,7 grs
	1/2AAA	NH230AAAJF	1,2 V	230 mAh	23 mA	Ø10,1 x 23,5 mm	6,5 grs
	2/3AAA	NH300AAAJF	1,2 V	300 mAh	30 mA	Ø10,1 x 27,5 mm	7,0 grs
	4/5AAA	NH500AAAEJF	1,2 V	500 mAh	50 mA	Ø10,1 x 35,1 mm	9,8 grs
	AAA	NH600AAAJF	1,2 V	600 mAh	60 mA	Ø10,1 x 43,6 mm	13,0 grs
	AAA	NH650AAAJF	1,2 V	650 mAh	65 mA	Ø10,1 x 43,6 mm	13,5 grs
	AAA	NH700AAAJF	1,2 V	700 mAh	70 mA	Ø10,1 x 43,6 mm	14,0 grs
	5/4AAA	NH750AAALJF	1,2 V	750 mAh	75 mA	Ø10,1 x 49,5 mm	15,5 grs
AAA	NH800AAAJF	1,2 V	800 mAh	80 mA	Ø10,1 x 43,6 mm	15,5 grs	
7/5AAA	NH900AAAJF	1,2 V	900 mAh	90 mA	Ø10,1 x 66,5 mm	20,0 grs	
AA	1/3AA	NH300AAJF	1,2 V	300 mAh	30 mA	Ø14,1 x 16,5 mm	8,5 grs
	2/5AA	NH400AAJF	1,2 V	400 mAh	40 mA	Ø14,1 x 21,0 mm	10,0 grs
	2/3AA	NH600AAJF	1,2 V	600 mAh	60 mA	Ø14,1 x 28,0 mm	14,0 grs
	4/5AA	NH1200AAEJF	1,2 V	1200 mAh	120 mA	Ø14,1 x 42,6 mm	24,0 grs
	AA	NH900AAJF	1,2 V	900 mAh	90 mA	Ø14,1 x 48,0 mm	23,0 grs
	AA	NH1000AAJF	1,2 V	1000 mAh	100 mA	Ø14,1 x 48,0 mm	24,0 grs
	AA	NH1100AAJF	1,2 V	1100 mAh	110 mA	Ø14,1 x 48,0 mm	24,0 grs
	AA	NH1200AAJF	1,2 V	1200 mAh	120 mA	Ø14,1 x 48,0 mm	26,0 grs
	AA	NH1300AAJF	1,2 V	1300 mAh	130 mA	Ø14,1 x 48,0 mm	26,0 grs
	AA	NH1500AAJF	1,2 V	1500 mAh	150 mA	Ø14,1 x 48,0 mm	28,0 grs
	AA	NH1600AAJF	1,2 V	1600 mAh	160 mA	Ø14,1 x 48,0 mm	29,0 grs
	AA	NH1700AAJF	1,2 V	1700 mAh	170 mA	Ø14,1 x 48,0 mm	30,0 grs
	AA	NH1800AAJF	1,2 V	1800 mAh	180 mA	Ø14,1 x 48,0 mm	36,0 grs
	7/5AA	NH1800AAEJF	1,2 V	1800 mAh	180 mA	Ø14,1 x 64,4 mm	37,0 grs
	AA	NH2000AAJF	1,2 V	2000 mAh	200 mA	Ø14,1 x 48,0 mm	31,0 grs
	AA	NH2200AAJF	1,2 V	2200 mAh	220 mA	Ø14,1 x 48,0 mm	33,0 grs
AA	NH2400AAJF	1,2 V	2400 mAh	240 mA	Ø14,1 x 48,0 mm	34,5 grs	
AA	NH2500AAJF	1,2 V	2500 mAh	250 mA	Ø14,1 x 48,0 mm	35,5 grs	
AA	NH2600AAJF	1,2 V	2600 mAh	260 mA	Ø14,1 x 48,0 mm	36,5 grs	
A	2/5A	NH600AJF	1,2 V	600 mAh	60 mA	Ø16,8 x 21,5 mm	14,0 grs
	1/2A	NH1000AJF	1,2 V	1000 mAh	100 mA	Ø16,8 x 28,0 mm	21,0 grs
	1/2A	NH1100AJF	1,2 V	1100 mAh	110 mA	Ø16,8 x 28,0 mm	22,0 grs
	4/5A	NH1800AJF	1,2 V	1800 mAh	180 mA	Ø16,8 x 42,1 mm	43,0 grs
	A	NH2000AEJF	1,2 V	2000 mAh	200 mA	Ø16,8 x 49,0 mm	33,0 grs
	A	NH2100AJF	1,2 V	2100 mAh	210 mA	Ø16,8 x 49,0 mm	34,0 grs
	7/5A	NH3500AJF	1,2 V	3500 mAh	350 mA	Ø16,8 x 65,9 mm	54,5 grs
	7/5A	NH3800AJF	1,2 V	3800 mAh	380 mA	Ø16,8 x 65,9 mm	57,0 grs
SC	4/5SC	NH2000SCJF	1,2 V	2000 mAh	200 mA	Ø22,1 x 33,6 mm	44,0 grs
	SC	NH1200SCJF	1,2 V	1200 mAh	120 mA	Ø22,1 x 42,0 mm	45,0 grs
	SC	NH1500SCJF	1,2 V	1500 mAh	150 mA	Ø22,1 x 42,0 mm	49,0 grs
	SC	NH1600SCEJF	1,2 V	1600 mAh	160 mA	Ø22,1 x 42,0 mm	36,0 grs
	SC	NH1800SCEJF	1,2 V	1800 mAh	180 mA	Ø22,1 x 42,0 mm	42,0 grs
	SC	NH2400SCJF	1,2 V	2400 mAh	240 mA	Ø22,1 x 42,0 mm	54,0 grs
	SC	NH2800SCJF	1,2 V	2800 mAh	280 mA	Ø22,1 x 42,0 mm	56,0 grs
	SC	NH3000SCJF	1,2 V	3000 mAh	300 mA	Ø22,1 x 42,0 mm	58,0 grs
5/4SC	NH3500SCJF	1,2 V	3500 mAh	350 mA	Ø22,1 x 49,0 mm	68,0 grs	
C	C	NH2500CJF	1,2 V	2500 mAh	250 mA	Ø25,3 x 49,0 mm	75,0 grs
	C	NH3300CJF	1,2 V	3300 mAh	330 mA	Ø25,3 x 49,0 mm	78,0 grs
	C	NH3700CJF	1,2 V	3700 mAh	370 mA	Ø25,3 x 49,0 mm	82,0 grs
	C	NH4000CJF	1,2 V	4000 mAh	400 mA	Ø25,3 x 49,0 mm	85,0 grs
	C	NH4500CJF	1,2 V	4500 mAh	450 mA	Ø25,3 x 49,0 mm	89,0 grs

(a) Todos estos modelos están también disponibles con terminales. Su referencia es similar anteponiendo un "1"
 These models are available with tags. Part number is similar adding prefix "1"